

U.S. Department of Transportation

National Highway Traffic Safety Administration

DOT HS 812 330



September 2016

Occupant Restraint Use in 2015: Results From the NOPUS Controlled Intersection Study

Disclaimer

This publication is distributed by the U.S. Department of Transportation, National Highway Traffic Safety Administration, in the interest of information exchange. The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the Department of Transportation or the National Highway Traffic Safety Administration. The United States Government assumes no liability for its contents or use thereof. If trade or manufacturers' names or products are mentioned, it is because they are considered essential to the object of the publication and should not be construed as an endorsement. The United States Government does not endorse products or manufacturers.

Suggested APA Format Citation:

Pickrell, T. M., Li, R., & KC, S. (2016, September). Occupant restraint use in 2015: Results from the NOPUS controlled intersection study (Report No. DOT HS 812 330). Washington, DC: National Highway Traffic Safety Administration.

 Author, DOT HS 812 330 4. Title and Subtitle Occupant Restraint Use in 2015: Resu Controlled Intersection Study 7. Author(s) Timothy M. Pickrell[*], Hongying (Ruby) Li[*], 9. Performing Organization Name Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Artific Safety and Logistics Solutions Least Control Presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower the seat (74.8%) w	and Shova KC enter for Statis ttion enter for Statis	NOPUS	3. Recipient's Catalog No 5. Report Date September 2016 6. Performing Organizati NVS-421 8. Performing Organizati 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and F NHTSA Technic: 14. Sponsoring Agency O	ion Code ion Report No. AIS) p. Period Covered al Report	
 4. Title and Subtitle Occupant Restraint Use in 2015: Resu Controlled Intersection Study 7. Author(s) Timothy M. Pickrell*, Hongying (Ruby) Li*, 9. Performing Organization Name Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Control Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Art † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th 	and Shova KC enter for Statis ttion enter for Statis	2 [†] tics and Analysis tics and Analysis	September 2016 6. Performing Organizati NVS-421 8. Performing Organizati 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and F NHTSA Technica	ion Report No. AIS) p. Period Covered al Report	
Occupant Restraint Use in 2015: Resu Controlled Intersection Study 7. Author(s) Timothy M. Pickrell [*] , Hongying (Ruby) Li [*] , 9. Performing Organization Name Mathematical Analysis Division, National Convational Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Convational Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Convational Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Ara † Statistician, Bowhead Logistics Solutions L Abstract Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	and Shova KC enter for Statis ttion enter for Statis	2 [†] tics and Analysis tics and Analysis	September 2016 6. Performing Organizati NVS-421 8. Performing Organizati 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and F NHTSA Technica	ion Report No. AIS) p. Period Covered al Report	
Controlled Intersection Study 7. Author(s) Timothy M. Pickrell [*] , Hongying (Ruby) Li [*] , 9. Performing Organization Name Mathematical Analysis Division, National Canadian Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Canadian Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Canadian National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Arr † Statistician, Bowhead Logistics Solutions L Abstract Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	and Shova KC enter for Statis ttion enter for Statis	2 [†] tics and Analysis tics and Analysis	6. Performing Organizati NVS-421 8. Performing Organizati 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and F NHTSA Technica	ion Report No. AIS) p. Period Covered al Report	
 ^{7. Author(s)} Timothy M. Pickrell[*], Hongying (Ruby) Li[*], ^{9. Performing Organization Name Mathematical Analysis Division, National Constraints} Mational Highway Traffic Safety Administrat U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 ^{12. Sponsoring Agency Name and Address} Mathematical Analysis Division, National Constraints Mathematical Analysis Division, National Constraints Mathematical Analysis Division, National Constraints ^{12. Sponsoring Agency Name and Address} Mathematical Analysis Division, National Constraints ^{12. Sponsoring Agency Name and Address} Mathematical Analysis Division, National Constraints ^{12. Sponsoring Agency Name and Address} ^{13. Supplementary Notes} * Mathematical Statistician, Mathematical Analysis Solutions L ^{Abstract} ^{Abstract} ^{Abstract} This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th 	enter for Statis ttion enter for Statis ttion	tics and Analysis	NVS-421 8. Performing Organization 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and H NHTSA Technication	ion Report No. AIS) p. Period Covered al Report	
Timothy M. Pickrell [*] , Hongying (Ruby) Li [*] , 9. Performing Organization Name Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical An † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	enter for Statis ttion enter for Statis ttion	tics and Analysis	8. Performing Organization 8. Performing Organization 10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and H NHTSA Technication	AIS) D. Period Covered al Report	
Timothy M. Pickrell [*] , Hongying (Ruby) Li [*] , 9. Performing Organization Name Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical An † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	enter for Statis ttion enter for Statis ttion	tics and Analysis	10. Work Unit No. (TRA 11. Contract or Grant No 13. Type of Report and F NHTSA Technica	AIS) D. Period Covered al Report	
Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Co National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical An † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	ttion enter for Statis ttion	tics and Analysis	11. Contract or Grant No 13. Type of Report and F NHTSA Technica	o. Period Covered al Report	
 1200 New Jersey Avenue SE. Washington, DC 20590 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Constrained Address Mathematical Analysis Division, National Constrained Address Mathematical Analysis Division, National Constrained Address Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Artific Statistician, Bowhead Logistics Solutions Leads Abstract This report presents results from the 201 Intersection Study. NOPUS is the only in Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower the seater of the seater of	ution		13. Type of Report and F NHTSA Technica	Period Covered al Report	
 12. Sponsoring Agency Name and Address Mathematical Analysis Division, National Constrained and National Highway Traffic Safety Administration 12. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical Art † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the 1 annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower the 	ution		NHTSA Technica	al Report	
National Highway Traffic Safety Administra U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 15. Supplementary Notes * Mathematical Statistician, Mathematical An † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	ution				
U.S. Department of Transportation 1200 New Jersey Avenue SE. Washington, DC 20590 ^{15. Supplementary Notes} * Mathematical Statistician, Mathematical Art † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th					
 1200 New Jersey Avenue SE. Washington, DC 20590 ^{15. Supplementary Notes} * Mathematical Statistician, Mathematical An † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th 	nalveie Divicio		14. Sponsoring Agency (Code	
 ^{15. Supplementary Notes} * Mathematical Statistician, Mathematical Art * Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th 					
* Mathematical Statistician, Mathematical Ar † Statistician, Bowhead Logistics Solutions L Abstract This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th	valueie Divisio				
This report presents results from the 201 Intersection Study. NOPUS is the only n Center for Statistics and Analysis of the annually. The 2015 NOPUS found that s (86.6%). Seat belt use among male drive use in the rear seat (74.8%) was lower th				sis, NHTSA	
old in 2015 was 89.8 percent compared t	ationwide pro National High eat belt use co ers increased f aan in the from	bability-based occ hway Traffic Safety ontinued to be high from 84.3 percent in t seat (88.5%). Ove	upant restraint use su Administration con er for females (90.79 n 2014 to 86.6 percen	urvey. The National aducts this survey %) than for males nt in 2015. Seat belt	
17. Key Words seat belt use, child restraint use, observat	tional	18. Distribution Statement		National	
survey, demographics, rear-seat seat belt		This document is available from the National Technical Information Service www.ntis.gov.			
occupant protection, NOPUS, controlled					
intersections, car seat					
19. Security Classif. (of this report) 20.	. Security Classif. (of	f this page)	21. No. of Pages	22. Price	
Unclassified Un	nclassified		33		
	assified Unclassified				
Form DOT F 1700.7 (8-72) R					

Definitions

- Vehicle occupants observed in the NOPUS survey are counted as "belted" if they appear to have a shoulder belt across the front of the body. NOPUS does not observe the use of lap belts because these restraints cannot be reliably observed from the roadside.
- The survey classifies a child as:
 - <u>Restrained in a rear-facing car seat</u> if the child appears to be on a seat on top of the vehicle seat, facing the rear of the vehicle, with harness straps across the front of the child.
 - <u>Restrained in a forward-facing car seat</u> if the child appears to be on a seat on top of the vehicle seat, facing the front of the vehicle, with harness straps across the front of the child.
 - <u>Restrained in a high-backed booster seat</u> if the child appears to be on a seat on top of the vehicle seat with a shoulder belt across the front of the child.
 - <u>Restrained in a seat belt or backless booster seat</u> if there is a shoulder belt across the front of the child but the observers cannot see if the child is in a seat on top of the vehicle seat.
 - <u>Restrained</u> if the child is restrained by any of the above.
 - The remaining children are classified as <u>unrestrained</u>. Note that in the survey there is no mention of being "unrestrained" in, for example, a forward-facing car seat. NOPUS does not observe the use of lap belts, and does not distinguish between seat belts and backless booster seats, because these assessments cannot be reliable if observed from the roadside.
- The racial categories "Black," "White," and "Members of other races" in NOPUS reflect subjective characterizations by roadside observers regarding the race of vehicle occupants. Likewise observers record all age groups (8 to 15 years old, 16 to 24 years old, 25 to 69 years old, and 70 and older) that best fit their visual assessment of each observed occupant.
- "Expressways" are defined as roadways with limited access, while "surface streets" comprise all other roadways.
- A roadway is defined to have "fast traffic" if, during the observation period, the average speed of passenger vehicles passing the observers exceeds 50 mph, with "medium-speed traffic" defined as 31 to 50 mph and "slow traffic" defined as 30 mph or slower. The traffic speed data in the CI survey is matched to the MT survey data.
- A roadway is defined to have "heavy traffic" if the average number of vehicles on the roadway during the observation period is greater than 5 per lane per mile, with "moderately dense traffic" defined as greater than 1 but less than or equal to 5 vehicles per lane per mile, and "light traffic" as less than or equal to 1 vehicle per lane per mile. Please note that this traffic density breakdown has been revised in the 2011 NOPUS to better capture the traffic patterns. The traffic density data in the Control Intersection (CI) survey is matched to the Moving Traffic (MT) survey data.
- Since NOPUS is not a census but based on a probability sample, it is impossible to produce State-by-State restraint use results. However NOPUS can and does produce regional estimates using the following categories.

Northeast: Connecticut, Massachusetts, Maine, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont

<u>Midwest</u>: Iowa, Kansas, Illinois, Indiana, Michigan, Minnesota, Missouri, North Dakota, Nebraska, Ohio, South Dakota, Wisconsin

South: Alabama, Arkansas, the District of Columbia, Delaware, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia

West: Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, New Mexico, Nevada, Oregon, Washington, Washington, Wyoming

These definitions of the four NOPUS regions are the same regional definitions used in the National Survey of the Use of Booster Seats (NSUBS).

TABLE OF CONTENTS

De	finitions	ii
Exe	ecutive Summary	/ii
1.	Introduction	. 1
2.	Demographic Results	2
	Gender	.3
	Race	.4
	Presence of Passengers and Seat Belt Use	.4
3.	Seat Belt Use in Rear Seats	6
	Seat Belt Use in Rear Seats Versus in Front Seats	.6
	State Laws and Rear-Seat Belt Use	.7
4.	Child Restraint Use	9
	Child Restraint Use Among All Children Under 8	.9
	Child Rear Seat Placement	.9
	Child Restraint Use by Region	10
	Child Restraint Use by Time of Week	11
	Child Restraint Use by Vehicle Type	12
	Child Restraint Use by Driver Type and Belt Status	12
5.	NOPUS Methodology	19
	Sample Design	19
	Data Collection	20
	Estimation	21
6.	References	22

TABLE OF FIGURES

Figure 1: Seat Belt Use by Age for Occupants 8 and Older in 2014 and 2015	2
Figure 2: Seat Belt Use by Age for Occupants 8 and Older, 2006-2015	3
Figure 3: Seat Belt Use by Gender for Occupants 8 and Older, 2006-2015	3
Figure 4: Seat Belt Use by Race for Occupants 8 and Older, 2006-2015	4
Figure 5: Passenger Effect on Seat Belt Use for Occupants 8 and Older, 2006-2015	4
Figure 6: Seat Belt Use by Seating Position for Occupants 8 and Older, 2006-2015	6
Figure 7: Seat Belt Use in Rear Seats by State Law Type for Occupants 8 and Older, 2006-2015	7
Figure 8: Child Restraint Use Among Children Under 8, 2006-2015	9
Figure 9: Child Rear Seat Placement, 2006-2015	9
Figure 10: Child Restraint Use by Region in 2014 and 2015	10
Figure 11: Child Restraint Use by Region, 2006-2015	11
Figure 12: Child Restraint Use by Time of Week in 2014 and 2015	11
Figure 13: Child Restraint Use by Vehicle Type in 2014 and 2015	12
Figure 14: Child Restraint Use by Driver Belt Status, 2006-2015	12

LIST OF TABLES

Table 1: Passenger Vehicle Occupant Seat Belt Use by Demographic and Other Characteristics	5
Table 2: States With Laws Requiring Seat Belts Be Used in All Seating Positions	7
Table 3: Seat Belt Use in the Rear Seat of Passenger Vehicles, by Major Characteristics	8
Table 4: States With Laws Requiring Children 5 and Younger Be in the Rear Seat*	10
Table 5: Child Restraint Use in Passenger Motor Vehicles, by Major Characteristics	13
Table 6: The Percent of Children Who Rode in the Rear Seat, by Major Characteristics	15
Table 7: Child Restraint Use in Passenger Motor Vehicles, by Age and Other Characteristics	17
Table 8: Sites, Vehicles, and Occupants in the 2015 NOPUS	20

Executive Summary

The National Occupant Protection Use Survey (NOPUS) is the only nationwide probabilitybased survey of seat belt use (for occupants 8 and older in both front and rear seats), motorcycle helmet use, child restraint use (for children under 8 years old), and driver electronic device use in the United States. The National Center for Statistics and Analysis of the National Highway Traffic Safety Administration conducts this survey annually. Two sub-surveys – the Moving Traffic (MT) Survey and the Controlled Intersection (CI) Study – comprise the NOPUS.

In the Controlled Intersection Study, occupants of passenger vehicles are observed from the roadside at intersections controlled by stop signs or stoplights. Only stopped vehicles are observed to allow ample time to collect a variety of information required by the survey. NOPUS derives its estimates of seat belt use in rear seats, child restraint use, driver electronic device use, and demographic characteristics of vehicle occupants from the CI study.

In 2015 NOPUS was redesigned. The original NOPUS was designed in 1994 and updated in 2006. The data used for previous designs was outdated and needed to be brought up to date. Additionally, conducting the study through several cycles has provided valuable knowledge on needed improvements. Please consult Section 5, "NOPUS Methodology," for details about the redesign.

This report presents results of occupant restraint use from the 2015 NOPUS Controlled Intersection Study. NHTSA will publish the driver electronic device use results in a separate research note. The following are some of the major findings from the 2015 NOPUS Controlled Intersection Study:

Front Seats Belt Use (Among Occupants 8 and Older):

- Seat belt use was lower for males (86.6%) than females (90.7%) in 2015.
- Seat belt use among drivers driving alone increased significantly from 86.1 percent in 2014 to 88.3 percent in 2015.
- Seat belt use continued to be lower among 16- to 24-year-olds (86.3%) than other age groups. However, seat belt use among younger drivers (age 16-24) while driving alone increased significantly from 83.4 percent in 2014 to 87.8 percent in 2015.

Rear Seats Belt Use (Among Occupants 8 and Older):

- Seat belt use continued to be lower in the rear seat (74.8%) than in the front seat (88.5%) in 2015.
- Rear seat belt use increased to 74.8 percent in 2015 from 72.9 percent in 2014.
- Seat belt use among younger passengers (age 16 to 24) in the rear seats increased from 68.0 percent in 2014 to 72.6 percent in 2015.
- Seat belt use in the rear seat continued to be significantly higher among the States with laws requiring belts to be used in all seating positions (83.3%) than those without such laws (61.4%) in 2015.

Child Restraint Use (For Children From Birth to 7 Years Old):

- Restraint use for children from birth to 7 years old in 2015 is 89.8 percent, compared to 90.9 percent in 2014.
- Restraint use for children driven by belted drivers continued to be significantly higher (91.6%) than for children driven by unbelted drivers (69.7%) in 2015.

1. Introduction

The National Occupant Protection Use Survey is the only nationwide probability-based survey of seat belt use (for occupants 8 and older in both front and rear seats), motorcycle helmet use, child restraint use (for children under 8 years old), and driver electronic device use in the United States. The National Center for Statistics and Analysis of the National Highway Traffic Safety Administration conducts this survey annually. In 2015, NHTSA conducted a redesign to select a new NOPUS sample. For more details, please see Section 5, "NOPUS Methodology." NOPUS contains two sub-surveys, the Moving Traffic (MT) Survey and the Controlled Intersection (CI) Study comprise the NOPUS.

In the MT survey, front-seat occupant shoulder belt use data and motorcyclist helmet use data are collected either at the roadside or, in the case of expressways, by data collectors in vehicles. NOPUS derives its major estimates of front-seat belt use and motorcycle helmet use from the MT survey. NHTSA published the front-seat belt use results from the 2015 NOPUS MT survey in February 2016.¹ In contrast, the CI study data is collected at intersections controlled by stop signs or stoplights, where vehicle occupants are observed from the roadside. Only stopped vehicles are observed due to time constraints restricting the amount of time available to collect the variety of information required by the survey. NOPUS derives its estimates of rear-seat belt use, child restraint use, driver electronic device use, and demographic characteristics of the vehicle occupants from the CI study.

Only motorcycles and passenger vehicles (passenger cars, pickup trucks, SUVs, and vans) are observed in the NOPUS. The population of interest includes all 50 States, the District of Columbia, with the sample observation sites consisting of Federal, State, county highways, residential streets, and rural roads. Data is collected only during daylight hours when light is adequate to observe seat belt use through the vehicle windshield.

The 2015 NOPUS data collection was conducted between 7 a.m. and 6 p.m. during the period from June 1 to June 27, 2015. The 2015 NOPUS survey data is based on the results of 63,958 occupants observed in 45,916 vehicles at 1,566 data collection sites. Of these observed occupants, 3,000 were children under 8. More details on the NOPUS sampling, data collection and estimation are discussed in Section 5: NOPUS Methodology.

Please note that the terms "significant" and "statistically significant" are used interchangeably throughout this report. "Significant" always means "statistically significant" and the statistical significance level is 0.05. In tables below, the data with p-values that are less than 0.05 are formatted in boldface type.

2. Demographic Results

The national seat belt use in 2015 increased to 88.5 percent from 86.7 percent in 2014.² This section presents the demographic breakdown of the occupants who used seat belts in 2015. Table 1 on page 5 presents results of passenger vehicle occupant seat belt use by demographic and other characteristics in 2014 and 2015, as well as the changes between the two years. Some major results are highlighted below.

Age

There was no significant change in seat belt use among occupants for these age groups: 8 to 15 years old, 16 to 24 years old, and 25 to 69 years old, from 2014 to 2015. For age group 70 and older, seat belt use increased significantly from 87.0 percent in 2014 to 90.7 percent in 2015. Figure 1 and Table 1 show a comparison of the seat belt use rates between 2014 and 2015 across these age groups.



Figure 1: Seat Belt Use by Age for Occupants 8 and Older in 2014 and 2015

Figure 2 displays the trends of seat belt use for the four age groups over a period of 10 years (2006 to 2015). It shows that in 2015, seat belt use continued to be lower among 16- to 24-year-olds than other age groups.



Figure 2: Seat Belt Use by Age for Occupants 8 and Older, 2006-2015

Gender

Figure 3 shows the trends of seat belt use for male and female occupants over a period of 10 years (2006 to 2015). In 2015 seat belt use continued to be lower for males (86.6%) than females (90.7%).



Figure 3: Seat Belt Use by Gender for Occupants 8 and Older, 2006-2015

Race

In NOPUS, vehicle occupant race is recorded as: black, white, and members of other races. The characterization is based on the visual assessment of the data collectors who observe vehicle occupants from roadsides.

Figure 4 shows the trends of seat belt use among occupants who are white, black, and members of other races over a period of 10 years (2006 to 2015). In 2015, seat belt use continued to be lower among black occupants than occupants of the other race groups. Seat belt use for members of other races was significantly higher than for the other two groups.



Figure 4: Seat Belt Use by Race for Occupants 8 and Older, 2006-2015

Presence of Passengers and Seat Belt Use

Figure 5 shows that seat belt use continued to be lower among drivers driving alone than for drivers driving with passengers.



Figure 5: Passenger Effect on Seat Belt Use for Occupants 8 and Older, 2006-2015

As shown in Table 1, seat belt use among drivers driving alone increased significantly from 86.1 percent in 2014 to 88.3 percent in 2015. Seat belt use among younger drivers 16 to 24 driving alone also increased significantly from 83.4 percent in 2014 to 87.8 percent in 2015.

Occupant Group ¹		2014		2015	2014 - 2015 Change		
	Belt Use ²	95% Confidence Interval ³	Belt Use ²	95% Confidence Interval ³	Change in Percentage	95% Confidence Interval ⁴	P- value⁵
All Occupants	86.7%	(84.6, 88.6)	88.5%	(86.8, 90.0)	1.8	(-0.2, 3.7)	0.07
Males ⁶	84.3%	(82.0, 86.4)	86.6%	(84.6, 88.4)	2.3	(-0.0, 4.6)	0.05
Females ⁶	89.4%	(87.4, 91.1)	90.7%	(89.2, 92.1)	1.4	(-0.5, 3.2)	0.15
Occupants by Age Group ⁶							
8 to 15	86.8%	(81.9, 90.5)	90.8%	(87.9, 93.1)	4.0	(-1.9, 9.9)	0.18
16 to 24	84.2%	(80.9, 87.1)	86.3%	(83.4, 88.7)	2.1	(-1.4, 5.6)	0.23
25 to 69	87.1%	(85.0, 88.9)	88.6%	(86.8, 90.1)	1.5	(-0.6, 3.5)	0.15
70 and Older	87.0%	(83.4, 89.9)	90.7%	(88.5, 92.5)	3.7	(0.8, 6.6)	0.01
Occupants by Race ⁶							
White	86.5%	(84.4, 88.4)	88.3%	(86.5, 89.9)	1.8	(-0.0, 3.7)	0.05
Black	80.4%	(74.4, 85.2)	82.3%	(76.3, 87.0)	1.9	(-5.0, 8.9)	0.58
Members of Other Races	92.5%	(89.2, 94.9)	94.0%	(91.6, 95.8)	1.5	(-1.9, 4.9)	0.39
Drivers With							
No Passengers	86.1%	(83.9, 88.0)	88.3%	(86.6, 89.7)	2.2	(0.1, 4.3)	0.04
At Least One Passenger	89.1%	(86.8, 91.0)	90.4%	(88.6, 92.0)	1.3	(-0.7, 3.4)	0.18
Drivers With							
No Passengers	86.1%	(83.9, 88.0)	88.3%	(86.6, 89.7)	2.2	(0.1, 4.3)	0.04
Passengers All Under 8	88.9%	(85.0, 91.9)	89.6%	(86.6, 92.0)	0.7	(-3.4, 4.8)	0.74
Passengers All 8 and Older	89.0%	(86.7, 91.0)	90.2%	(88.3, 91.9)	1.2	(-0.8, 3.2)	0.22
Some Passengers Under 8 and Some 8 or Older	90.0%	(85.9, 93.0)	93.3%	(91.0, 95.0)	3.3	(-0.4, 6.9)	0.08
Drivers 16-24 With							
No Passengers	83.4%	(79.5, 86.7)	87.8%	(85.0, 90.2)	4.4	(0.6, 8.2)	0.03
Passengers All 16-24	87.8%	(82.5, 91.7)	86.8%	(81.1, 91.1)	-1.0	(-6.8, 4.9)	0.74
At Least One Passenger Not 16-24	86.0%	(80.6, 90.1)	89.5%	(82.9, 93.8)	3.5	(-3.4, 10.4)	0.31
Occupants 16-24 When							
All Occupants Are 16-24	84.0%	(80.5, 87.0)	86.5%	(83.2, 89.2)	2.4	(-1.4, 6.3)	0.21
At Least One Occupant Is Not 16-24	84.7%	(80.9, 87.9)	86.0%	(82.6, 88.7)	1.2	(-2.8, 5.2)	0.54

Table 1: Passenger Vehicle Occupant Seat Belt Use by Demographic and Other Characteristics

¹Drivers and right-front passengers of passenger vehicles with no commercial or government markings.

² Use of shoulder belts observed between 7 a.m. and 6 p.m.

³ The Wilson Confidence Interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t_{\sqrt{(t^2 + 4n_{EFF}pq)}}\}/(2(n_{EFF} + t^2))$, where p is the estimated percentage of Belt Use, $n_{FFFF} = n/D_{FFFF}$ is the effective sample size (where n is the sample size and D_{FFFF} is the design effect), $t = t_{(1-m/2)}(df)$, is a

 $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages these endpoints are multiplied by 100. ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the

form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where p is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom. The degrees of freedom in 2015 is different from that used in 2014.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the 2014 and 2015 estimates for the group in question, indicated with bold type.

⁶ The age, gender, and racial classifications are based on the subjective assessments of roadside observers. Source: National Occupant Protection Use Survey (NOPUS), 2014, 2015

3. Seat Belt Use in Rear Seats

According to Federal Motor Vehicle Safety Standard (FMVSS) 208: Occupant Crash Protection, except for convertibles and open-body vehicles, all outboard designated seating positions shall be equipped with integral lap and shoulder belts at every forward facing, outboard designated seating position. Using the 2014 vehicle registration data from the National Vehicle Population Profile, R.L. Polk & Co., NHTSA estimated that 94.6 percent of passenger vehicles on the road have shoulder belts in the rear outboard seating positions. Of the 5.4 percent of vehicles that have only lap belts in the rear outboard seats, all observed rear-seat vehicle occupants are counted by NOPUS as *unbelted (not restrained with a shoulder belt)*, even if they are using lap belts. Consequently, NOPUS rear-seat shoulder belt use estimates reflect both the degree to which vehicle occupants use restraints and the availability of shoulder belts in these seating positions. Please note that NOPUS only observes up to two passengers in the second row of seats and none in the third row and beyond.

Table 3 on page 8 presents results of seat belt use in the rear seat of passenger vehicles in 2014 and 2015 as well as the changes between the two years. Some major results are highlighted below.

Seat Belt Use in Rear Seats Versus in Front Seats

Figure 6 displays the front and rear seat belt use trends from 2006 to 2015. As in previous years, seat belt use in 2015 was lower in the rear seat (74.8%) than in the front seat (88.5%).



Figure 6: Seat Belt Use by Seating Position for Occupants 8 and Older, 2006-2015

Similar to the younger occupants 16 to 24 in the front seats, the seat belt use among younger passengers also 16 to 24 in the rear seats increased from 68.0 percent in 2014 to 72.6 percent in 2015.

State Laws and Rear-Seat Belt Use

At the time the 2015 NOPUS survey was conducted, 28 States and the District of Columbia required all vehicle occupants 18 and older to use seat belts when riding in the rear seats.³ Please note that rear-seat belt use laws are secondary in Arizona, Colorado, Idaho, Massachusetts, Missouri, Montana, Nebraska, Nevada, North Dakota, Ohio, Pennsylvania, South Dakota, Vermont, Virginia, and Wyoming. Secondary seat belt laws state that law enforcement officers may issue a ticket for not wearing a seat belt only when there is another citable traffic infraction. Table 2 provides a list of States requiring seat belts be used in all seating positions.

Alaska	California	Delaware
District of Columbia	Hawaii	Idaho
Illinois	Indiana	Kansas
Kentucky	Louisiana	Maine
Maryland	Massachusetts	Minnesota
Montana	Nevada	New Jersey
New Mexico	North Carolina	Oregon
Rhode Island	South Carolina	Texas
Utah	Vermont	Washington
Wisconsin	Wyoming	

 Table 2: States With Laws Requiring Seat Belts Be Used in All Seating Positions

States with laws in effect as of June 27, 2015, requiring people 18 and older to use seat belts in all seating positions. Also includes the District of Columbia.

Figure 7 shows the trends of rear-seat belt use among passengers in the States with or without laws requiring belt use in all seating positions over a period of 10 years (2006 to 2015). As in previous years, seat belt use in rear seats in 2015 was higher in the States with laws requiring belt use in all seating positions (83.3%) than in the States requiring belt use only in the front seat (61.4%).



Figure 7: Seat Belt Use in Rear Seats by State Law Type for Occupants 8 and Older, 2006-2015

Table 3: Seat Belt Use in the Rear Seat of Passenger Vehicles, by Major Characteristics

	2014			2015	2014 – 2015 Change			
Passenger Group ¹	Belt Use ²	95% Confidence Interval ³	Belt Use ²	95% Confidence Interval ³	Change in Percentage	95% Confidence Interval ⁴	P- value⁵	
All Passengers	72.9%	(67.8, 77.5)	74.8%	(69.1, 79.7)	1.8	(-5.2, 8.8)	0.60	
Males ⁶	71.4%	(65.4, 76.6)	74.1%	(66.5, 80.5)	2.7	(-6.1, 11.6)	0.54	
Females ⁶	74.6%	(68.6, 79.8)	75.5%	(70.8, 79.7)	0.9	(-5.3, 7.1)	0.76	
Passengers by Age Group ⁶								
8 to 15	82.2%	(75.7, 87.2)	82.0%	(75.0, 87.4)	-0.2	(-9.2, 8.9)	0.97	
16 to 24	68.0%	(61.0, 74.3)	72.6%	(65.9, 78.4)	4.6	(-4.5, 13.7)	0.31	
25 to 69	63.9%	(56.4, 70.9)	64.4%	(56.0, 72.0)	0.5	(-9.8, 10.8)	0.92	
70 and Older	80.9%	(70.1, 88.4)	81.3%	(68.4, 89.7)	0.4	(-16.9, 17.7)	0.96	
Passengers by Race ⁶								
White	73.5%	(68.1, 78.3)	79.0%	(73.9, 83.2)	5.5	(-1.3, 12.3)	0.11	
Black	59.4%	(44.8, 72.5)	52.4%	(39.5, 64.9)	-7.0	(-27.0, 12.9)	0.48	
Members of Other Races	78.0%	(65.4, 87.0)	72.9%	(56.0, 85.0)	-5.1	(-22.1, 11.8)	0.55	
Passengers in States With Laws Requiring Belts Be Used								
In All Seating Positions	79.7%	(72.4, 85.4)	83.3%	(78.3, 87.4)	3.7	(-3.2, 10.5)	0.29	
In the Front Seat Only	65.8%	(55.9, 74.4)	61.4%	(49.7, 72.0)	-4.4	(-19.0, 10.3)	0.55	

¹ Up to two passengers observed in the second row of seats in passenger vehicles with no commercial or government markings. ² Use of should reals abserved between 7 arm and 6 mm

² Use of shoulder belts observed between 7 a.m. and 6 p.m. ³ The Wilson Confidence Interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where *p* is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages these endpoints are multiplied by 100.

⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the

form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where p is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom. The degrees of freedom in 2015 is different

from that used in 2014.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the 2014 and 2015 estimates for the group in question, indicated with bold type.

⁶ The age, gender, and racial classifications are based on the subjective assessments of roadside observers. Source: National Occupant Protection Use Survey (NOPUS), 2014, 2015

4. Child Restraint Use

In 2015 NOPUS continued to collect roadside observational data on child restraint use for all children under 8 years old. Detailed results of child restraint use are presented in Tables 5, 6, and 7. Table 5 on page 13 presents the results of child restraint use in passenger motor vehicles by major characteristics in 2014 and 2015 as well as the changes between the two years. Table 7 on page 15 divides the occupants into three age groups and reports restraint use by some other characteristics among these groups. Table 6 on page 14 presents results on child rear placement by major characteristics in 2014 and 2015 as well as the changes between the two years. Some of the major results of child restraint use are discussed below.

Child Restraint Use Among All Children Under 8

Restraint use for children under 8 in 2015 is 89.8 percent, down from 90.9 percent in 2014. Figure 8 shows the child restraint use trend since 2006.



Figure 8: Child Restraint Use Among Children Under 8, 2006-2015

Child Rear Seat Placement

Figure 9 shows the trends of rear seat placement of children under age 8 between 2006 and 2015. The 2015 NOPUS found that 92.4 percent of children under 8 rode in the rear seats of vehicles. In the infant group (from birth to 12 months), 99.2 percent rode in the rear seat. 97.7 percent of 1- to 3-year-olds and 88.4 percent of 4- to 7-year-olds were in the rear seats in 2015. Note that the child restraint use in the rear seats decreased to 90.9 percent in 2015 from 91.6 percent in 2014 (Table 5).



Figure 9: Child Rear Seat Placement, 2006 - 2015

At the time the 2015 survey was conducted, 9 States required children 5 and younger who weighed less than 80 pounds and were less than 54 inches tall to ride in the rear seats of vehicles. Table 4 lists the States with child rear placement laws.

 Table 4: States With Laws Requiring Children 5 and Younger Be in the Rear

 Seat*

California	Georgia	Maine					
New Jersey	Rhode Island	South Carolina					
Tennessee	Washington	Wyoming					
* Among children less than 80 pounds and less than 54" tall. States with laws in effect as of June 27, 2015. In no other States did such laws take effect during the period June 27, 2014, to June 27, 2015. In Delaware, a child 11 and younger and 65 inches or less must be the rear seat if passenger air bag is active.							

Child Restraint Use by Region

Child restraint use among children increased significantly to 97.3 percent in 2015 from 94.7 percent in 2014 in the West. There were no significant changes in child restraint use from 2014 to 2015 in the other three regions (Northeast, Midwest, and South), as shown in Figure 10.



Figure 10: Child Restraint Use by Region in 2014 and 2015

Figure 11 shows that child restraint use continued to be higher in the West than in the other regions in 2015.



Figure 11: Child Restraint Use by Region, 2006-2015

Child Restraint Use by Time of Week

Child restraint use among child passengers decreased from 91.9 percent in 2014 to 89.3 percent in 2015 during weekdays, however it is not a significant change. There were also no significant changes in child restraint use from 2014 to 2015 during any time periods of the week, as shown in Figure 12.



Figure 12: Child Restraint Use by Time of Week in 2014 and 2015

Child Restraint Use by Vehicle Type

As shown in Figure 13, restraint use for children traveling in pickup trucks increased from 81.4 percent in 2014 to 87.0 percent in 2015.



Figure 13: Child Restraint Use by Vehicle Type in 2014 and 2015

Child Restraint Use by Driver Type and Belt Status

Table 5 shows that the restraint use for children driven by black drivers decreased significantly, from 85.2 percent in 2014 to 71.0 percent in 2015.

As shown in Figure 14, restraint use for children driven by belted drivers continued to be significantly higher than for those driven by unbelted drivers.



Figure 14: Child Restraint Use by Driver Belt Status, 2006-2015

Table 5: Child Restraint Use in Passenger Motor Vehicles, by Major Characteristics

	2014		2	2015	2014-2015 Change		
Child Passenger Group ¹	Restrain t Use ²	95% Confidence Interval ³	Restraint Use ²	95% Confidence Interval ³	Change in Percentag e Points	Confidence in a Change in Use⁴	P- value⁵
All Child Passengers (From Birth to 7 Years)	90.9%	(87.1, 93.6)	89.8%	(86.5, 92.3)	-1.1	(-5.3, 3.0)	0.58
Children Driven by							
a Belted Driver	93.2%	(90.1, 95.3)	91.6%	(88.8, 93.8)	-1.5	(-4.9, 1.8)	0.36
an Unbelted Driver	71.9%	(60.1, 81.2)	69.7%	(55.6, 80.8)	-2.2	(-19.8, 15.4)	0.80
a Male Driver	91.0%	(87.8, 93.4)	89.9%	(86.5, 92.5)	-1.1	(-5.1, 2.9)	0.57
a Female Driver	90.8%	(85.5, 94.3)	89.7%	(85.4, 92.8)	-1.1	(-6.7, 4.4)	0.68
a Driver 16 to 24	83.1%	(63.8, 93.2)	87.4%	(67.4, 95.9)	4.3	(-14.2, 22.8)	0.64
a Driver 25 to 69	91.6%	(88.7, 93.8)	89.8%	(86.7, 92.3)	-1.8	(-5.5, 1.9)	0.33
a Driver 70 and Older	NA	NA	96.9%	(86.1, 99.4)	NA	NA	NA
a White Driver	91.3%	(86.8, 94.3)	92.6%	(90.0, 94.5)	1.3	(-3.2, 5.9)	0.57
a Black Driver	85.2%	(73.7, 92.1)	71.0%	(59.8, 80.1)	-14.2	(-27.2, -1.2)	0.03
a Driver who is a Member of Other Races	92.6%	(88.5, 95.3)	89.9%	(82.0, 94.6)	-2.6	(-9.8, 4.5)	0.46
Children in							
the Front Seat	81.8%	(70.3, 89.6)	75.5%	(65.5, 83.3)	-6.3	(-21.7, 9.0)	0.41
the Rear Seat	91.6%	(87.6, 94.3)	90.9%	(87.7, 93.4)	-0.6	(-4.7, 3.5)	0.76
Child Passengers on							
Expressways	90.7%	(81.6, 95.5)	91.2%	(84.4, 95.2)	0.5	(-7.7, 8.8)	0.90
Surface Streets	91.0%	(88.5, 93.1)	88.9%	(85.1, 91.8)	-2.2	(-6.1, 1.8)	0.28
Child Passengers Traveling in							
Fast Traffic	90.1%	(83.2, 94.4)	91.5%	(85.8, 95.0)	1.4	(-5.5, 8.3)	0.69
Medium-Speed Traffic	91.0%	(88.1, 93.2)	89.5%	(83.0, 93.7)	-1.5	(-7.2, 4.3)	0.60
Slow Traffic	92.7%	(88.4, 95.4)	87.0%	(81.5, 91.0)	-5.7	(-11.3, -0.0)	0.05
Child Passengers in							
Passenger Cars	88.5%	(82.2, 92.7)	86.4%	(81.2, 90.3)	-2.0	(-9.0, 4.9)	0.56
Vans & SUVs	94.3%	(91.2, 96.3)	93.5%	(90.0, 95.8)	-0.8	(-4.0, 2.4)	0.61
Pickup Trucks	81.4%	(73.4, 87.5)	87.0%	(80.2, 91.8)	5.6	(-5.4, 16.6)	0.31
Child Passengers in the							
Northeast	92.5%	(85.2, 96.3)	89.1%	(75.8, 95.6)	-3.4	(-14.8, 8.1)	0.56
Midwest	86.7%	(71.6, 94.4)	87.2%	(80.1, 91.9)	0.5	(-10.9, 11.8)	0.94
South	88.3%	(81.4, 92.9)	86.9%	(80.2, 91.6)	-1.4	(-9.7, 6.9)	0.74
West	94.7%	(92.2, 96.5)	97.3%	(93.5, 98.9)	2.5	(0.5, 4.6)	0.02
Child Passengers in							
Urban Areas	95.0%	(93.1, 96.4)	91.1%	(87.9, 93.5)	-3.9	(-7.4, -0.5)	0.03
Rural Areas	88.0%	(75.6, 94.5)	86.3%	(80.0, 90.8)	-1.7	(-13.8, 10.4)	0.78
Child Passengers Traveling During							
Weekdays	91.9%	(89.4, 93.8)	89.3%	(85.2, 92.3)	-2.6	(-6.5, 1.3)	0.19
Rush Hours	92.4%	(89.8, 94.3)	90.5%	(84.1, 94.5)	-1.9	(-7.1, 3.4)	0.47
Non-Rush Hours	91.3%	(87.7, 93.9)	88.0%	(83.0, 91.6)	-3.3	(-8.9, 2.3)	0.24
Weekends	89.1%	(79.1, 94.6)	90.6%	(87.1, 93.2)	1.5	(-6.3, 9.2)	0.70

¹ Passengers under age 8 observed between 7 a.m. and 6 p.m. in the right-front seat or the second row of seats in passenger vehicles with no commercial or government markings that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.
 ² Use of child car seats (forward- or rear-facing), booster seats, and seat belts.

³ The Wilson Confidence Interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\left\{ (2n_{EFF}p + t^2) \pm t \sqrt{(t^2 + 4n_{EFF}pq)} \right\} / (2(n_{EFF} + t^2))$, where p is the estimated percentage of Belt

Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where **n** is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages these endpoints are multiplied by 100.

⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the

form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{\nu(p)}$, where p is the estimated change in percentage point, $\nu(p)$ is its estimated variance, and

 $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom. The degrees of freedom in 2015 is different from that used in 2014.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the 2014 and 2015 estimates for the group in question, indicated with bold type.

NA: Data not sufficient to produce a reliable estimate.

Source: National Occupant Protection Use Survey (NOPUS), 2014, 2015

Table 6: The Percent of Children Who Rode in the Rear Seat, by Major Characteristics

	2014		20	15	2014-2015 Change			
Child Passenger Group ¹	Percentage Who Were in Rear Seat ²	95% Confidence Interval ³	Percentage Who Were in Rear Seat ²	95% Confidence Interval ³	Change in Percentage Points	Confidence in a Change in Use ⁴	P-value ⁵	
All Child Passengers (From Birth to 7	93.1%	(90.0, 95.3)	92.4%	(89.9, 94.3)	-0.7	(-4.2, 2.8)	0.70	
Years) 0 (Infants)	99.9%	(99.3, 100.0)	99.2%	(98.2, 99.7)	-0.7	(-1.4, 0.1)	0.10	
1-3	98.7%	(96.4, 99.6)	97.7%	(95.0, 98.9)	-1.1	(-3.4, 1.2)	0.35	
4-7	87.6%	(82.3, 91.4)	88.4%	(84.2, 91.6)	0.8	(-5.0, 6.7)	0.78	
Child Passengers in States With ⁶ Law Requiring Children From Birth of 5 Years Be in the Rear Seat	97.3%	(93.8, 98.8)	88.7%	(82.9, 92.7)	-8.6	(-14.1, -3.2)	0.00	
No Such Law	91.7%	(88.5, 94.0)	93.3%	(91.1, 95.0)	1.7	(-1.7, 5.1)	0.33	
Children Driven by			aa aa ′					
a Belted Driver	94.0%	(90.6, 96.2)	93.2%	(90.5, 95.2)	-0.8	(-4.7, 3.0)	0.68	
an Unbelted Driver a Male Driver	85.5% 93.3%	(78.3, 90.6) (88.4, 96.2)	83.9% 93.0%	(77.7, 88.7) (89.9, 95.2)	-1.6 -0.3	(-8.4, 5.3) (-5.5, 4.9)	0.65 0.92	
a Female Driver	93.0%	(90.0, 95.1)	92.0%	(89.2, 94.1)	-1.0	(-4.3, 2.3)	0.55	
a Driver 16 to 24	96.6%	(92.8, 98.5)	94.2%	(84.2, 98.0)	-2.4	(-9.2, 4.4)	0.48	
a Driver 25 to 69	92.7%	(89.4, 95.1)	92.4%	(90.0, 94.2)	-0.4	(-4.0, 3.2)	0.83	
a Driver 70 and Older	NA	NA	86.3%	(56.1, 96.9)	NA	NA	NA	
a White Driver	93.7%	(90.2, 96.0)	92.9%	(89.4, 95.2)	-0.8	(-4.8, 3.1)	0.67	
a Black Driver	89.3%	(83.1, 93.4)	90.7%	(84.4, 94.7)	1.4	(-6.4, 9.3)	0.71	
a Driver who is a Member of Other Races	92.5%	(87.1, 95.7)	91.4%	(86.7, 94.5)	-1.1	(-7.1, 5.0)	0.72	
Child Passengers on	05.00/		04.40/	(00.0.07.0)	4 5		0.50	
Expressways Surface Streets	95.9% 91.1%	(92.4, 97.9) (87.2, 94.0)	94.4% 91.1%	(89.3, 97.2) (89.1, 92.8)	-1.5 0.0	(-6.7, 3.7) (-3.8, 3.8)	0.56 0.99	
Child Passengers Traveling in	91.170	(07.2, 94.0)	91.176	(09.1, 92.0)	0.0	(-3.8, 3.8)	0.99	
Fast Traffic	94.7%	(89.1, 97.5)	92.2%	(87.4, 95.3)	-2.5	(-8.5, 3.5)	0.40	
Medium-Speed Traffic	91.9%	(88.4, 94.5)	91.3%	(88.2, 93.7)	-0.6	(-4.9, 3.7)	0.78	
Slow Traffic	91.1%	(86.7, 94.1)	94.0%	(91.0, 96.1)	3.0	(-2.0, 8.0)	0.24	
Child Passengers in								
Passenger Cars	93.8%	(90.8, 95.8)	93.7%	(91.3, 95.5)	-0.1	(-3.1, 3.0)	0.97	
Vans & SUVs	94.6%	(91.3, 96.7)	94.4%	(92.2, 96.0)	-0.2	(-3.8, 3.4)	0.91	
Pickup Trucks	77.6%	(69.8, 83.8)	74.2%	(62.2, 83.4)	-3.4	(-18.4, 11.7)	0.65	
Child Passengers in the	05 29/	(01 0 07 4)	07 19/	(05 5 09 1)	1 7	(2450)	0.41	
Northeast Midwest	95.3% 95.4%	(91.9, 97.4) (90.1, 98.0)	97.1% 91.7%	(95.5, 98.1) (88.2, 94.2)	1.7 -3.8	(-2.4, 5.9) (-9.0, 1.5)	0.41 0.15	
South	91.4%	(87.3, 94.3)	90.7%	(84.5, 94.6)	-0.7	(-6.6, 5.2)	0.81	
West	91.8%	(83.2, 96.2)	93.8%	(90.3, 96.1)	2.0	(-5.6, 9.6)	0.60	
Child Passengers in		,						
Urban Areas	94.4%	(91.0, 96.5)	93.7%	(91.0, 95.6)	-0.7	(-4.4, 3.1)	0.72	
Rural Areas	87.5%	(73.3, 94.7)	89.0%	(83.5, 92.8)	1.5	(-12.0, 15.0)	0.82	
Child Passengers Traveling During		<i></i>		<i></i>		<i>,</i>		
Weekdays	92.8%	(89.2, 95.3)	91.0%	(88.1, 93.3)	-1.8	(-5.9, 2.3)	0.37	
Rush Hours Non-Rush Hours	92.6% 93.1%	(88.9, 95.1) (88.4, 96.0)	90.8% 91.3%	(86.6, 93.7) (87.8, 93.8)	-1.8 -1.9	(-6.4, 2.8)	0.43	
Weekends	93.1% 93.6%	(88.4, 96.0) (90.0, 95.9)	91.3% 94.8%	(87.8, 93.8) (91.3, 96.9)	-1.9 1.2	(-7.0, 3.2) (-2.7, 5.1)	0.47 0.53	
Child Passengers in a	00.070	(00.0, 00.0)	04.070	(01.0, 00.0)	1.2	(2.1, 0.1)	0.00	
Rear-Facing Car Seat	99.8%	(99.1, 100.0)	99.6%	(98.8, 99.8)	-0.3	(-0.8, 0.3)	0.33	
Forward-Facing Car Seat	98.9%	(96.2, 99.7)	98.5%	(95.7, 99.5)	-0.4	(-2.7, 1.8)	0.70	
High-Backed Booster Seat	99.1%	(94.3, 99.9)	98.7%	(96.1, 99.6)	-0.5	(-2.8, 1.8)	0.69	
Seat belt or Backless Booster Seat	85.8%	(79.7, 90.3)	86.6%	(81.1, 90.7)	0.8	(-6.5, 8.2)	0.82	
No Restraint Observed	86.2%	(77.1, 92.1)	81.8%	(74.0, 87.7)	-4.4	(-15.2, 6.4)	0.41	

- ¹Passengers under 8 observed between 7 a.m. and 6 p.m. in the right-front seat or the second row of seats in passenger vehicles with no commercial or government markings that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.
- ² The percentage of the child passenger group who were in the second row of seats at the time of observation.
- ³ The Wilson Confidence Interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\left\{ (2n_{EFF}p + t^2) \pm t \sqrt{(t^2 + 4n_{EFF}pq)} \right\} / (2(n_{EFF} + t^2))$, where p is the estimated percentage of Belt
- Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where *n* is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 p. For percentages these endpoints are multiplied by 100.
- ⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the

form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where p is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom. The degrees of freedom in 2015 is different from that used in 2014.

⁵ A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the 2014 and 2015 estimates for the group in question, indicated with bold type.

NA: Data not sufficient to produce a reliable estimate.

Source: National Occupant Protection Use Survey (NOPUS), 2014, 2015

Table 7: Child Restraint Use in Passenger Motor Vehicles, by Age and Other Characteristics

	2	2014		2015	2014-2015 Change			
Child Passenger Group ¹	Restraint Use ²	95% Confidence Interval ³	Restraint Use ²	95% Confidence Interval ³	Change in Percentage Points	Confidence in a Change in Use ⁴	P-value ⁵	
		Infants (Fro	m Birth to '		1 01113	036		
Infants Driven by								
a Belted Driver	96.6%	(85.7, 99.3)	97.3%	(90.7, 99.3)	0.7	(-5.5, 6.9)	0.82	
an Unbelted Driver	NA	NA	NA	NA	NA	NA	NA	
a Male Driver	92.0%	(70.7, 98.2)	94.9%	(82.0, 98.7)	2.9	(-10.1, 16.0)	0.65	
a Female Driver	100.0%	(100.0, 100.0)	99.2%	(97.9, 99.7)	-0.8	(-1.6, 0.0)	0.05	
Infants in								
Passenger Cars	99.9%	(99.2, 100.0)	94.7%	(84.2, 98.3)	-5.2	(-11.5, 1.1)	0.11	
Vans & SUVs	94.1%	(76.8, 98.7)	100.0%	(100.0, 100.0)	5.9	(-3.0, 14.7)	0.19	
Pickup Trucks	NA	NA	NA	NA	NA	NA	NA	
Infants in the								
Northeast	100.0%	(100.0, 100.0)	98.5%	(92.2, 99.7)	-1.5	(-4.3, 1.3)	0.28	
Midwest	88.0%	(54.0, 97.9)	99.6%	(97.6, 99.9)	11.6	(-4.8, 28.0)	0.16	
South	99.7%	(97.9, 99.9)	93.1%	(78.0, 98.1)	-6.6	(-15.7, 2.6)	0.15	
West	99.1%	(94.7, 99.8)	100.0%	(100.0, 100.0)	0.9	(-1.1, 3.0)	0.35	
Infants in								
Urban Areas	99.0%	(95.2, 99.8)	99.6%	(98.5, 99.9)	0.6	(-1.4, 2.6)	0.55	
Rural Areas	NA	NA	90.2%	(71.9, 97.1)	NA	NA	NA	
		Ch	hildren 1 to	3				
Children 1-3 Driven by								
a Belted Driver	97.4%	(93.9, 98.9)	96.1%	(93.4, 97.7)	-1.3	(-4.4, 1.7)	0.39	
an Unbelted Driver	78.9%	(52.1, 92.8)	80.4%	(58.0, 92.5)	1.6	(-20.7, 23.8)	0.89	
a Male Driver	97.6%	(94.0, 99.1)	94.2%	(87.4, 97.4)	-3.5	(-8.7, 1.7)	0.18	
a Female Driver	94.3%	(83.4, 98.2)	95.0%	(90.5, 97.5)	0.7	(-6.6, 8.1)	0.84	
Children 1-3 in								
Passenger Cars	92.6%	(77.6, 97.8)	92.2%	(86.1, 95.7)	-0.4	(-10.4, 9.7)	0.94	
Vans & SUVs	98.2%	(95.6, 99.2)	96.4%	(91.6, 98.5)	-1.8	(-4.9, 1.4)	0.26	
Pickup Trucks	94.9%	(80.6, 98.8)	99.2%	(95.4, 99.9)	4.3	(-5.0, 13.6)	0.36	
Children 1-3 in the								
Northeast	97.3%	(91.3, 99.2)	95.2%	(84.9, 98.6)	-2.1	(-5.4, 1.2)	0.20	
Midwest	86.2%	(61.3, 96.1)	91.3%	(78.2, 96.9)	5.1	(-13.1, 23.4)	0.57	
South	99.4%	(98.0, 99.8)	94.1%	(91.3, 96.1)	-5.2	(-7.5, -3.0)	0.00	
West	98.0%	(95.8, 99.0)	97.9%	(89.8, 99.6)	-0.1	(-2.8, 2.7)	0.96	
Children 1-3 in Urban Areas	97.6%	(95.3, 98.8)	95.6%	(92.2, 97.6)	-2.0	(-4.4, 0.5)	0.11	
Rural Areas	97.0 <i>%</i> 96.3%	(89.5, 98.8)	95.0 <i>%</i> 91.8%	(84.4, 95.9)	-2.0	(-4.4, 0.3)	0.11	
Ruiai Aleas	90.376	· · ·	hildren 4 to		-4.5	(-11.2, 2.3)	0.19	
Children 4.7 Driven hu		Cn	maren 4 to	1				
Children 4-7 Driven by	00 40/	(95 5 00 0)	00.00/	$(0 \land 1 \land 0 \land 0)$	1.0		0.60	
a Belted Driver	89.4%	(85.5, 92.3)	88.2%	(84.4, 91.2)	-1.2	(-6.0, 3.6)	0.63	
an Unbelted Driver	63.3%	(46.2, 77.6)	61.2%	(45.1, 75.1)	-2.1	(-26.3, 22.1)	0.86	
a Male Driver	87.3%	(82.9, 90.7)	86.8%	(83.0, 89.8)	-0.5	(-6.2, 5.1)	0.86	
a Female Driver Children 4-7 in	85.6%	(79.2, 90.3)	85.0%	(78.8, 89.7)	-0.6	(-8.3, 7.2)	0.88	
	82 70/	(76 1 97 7)	81 5%	(7/ 3 97 1)	-1.1	(-10 0 7 7)	0.80	
Passenger Cars Vans & SUVs	82.7% 91.7%	(76.1, 87.7) (86.8, 94.9)	81.5% 90.7%	(74.3, 87.1) (85.8, 94.0)		(-10.0, 7.7)		
Pickup Trucks	91.7% 73.1%	(86.8, 94.9) (61.4, 82.3)	90.7% 81.3%	(85.8, 94.0) (70.3, 88.8)	-1.0 8.2	(-6.1, 4.2) (-7.0, 23.4)	0.71 0.28	
Children 4-7 in the	73.1%	(01.4, 02.3)	01.3%	(10.3, 66.6)	0.2	(-1.0, 23.4)	0.20	
Northeast	87.3%	(75.7, 93.8)	83.6%	(61.9, 94.1)	-3.7	(-22.8, 15.4)	0.70	
Midwest	86.8%	(75.7, 95.8) (77.5, 92.6)	83.0%	(75.3, 88.6)	-3.8	(-22.8, 15.4) (-14.1, 6.5)	0.70	
widwest	00.070	(11.0, 52.0)	00.070	(10.0, 00.0)	5.0	(17.1, 0.0)	0.40	

	South West	80.9% 90.8%	(69.9, 88.5) (86.9, 93.7)	82.7% 96.1%	(72.8, 89.5) (92.8, 97.9)	1.8 5.2	(-11.6, 15.2) (1.7, 8.8)	0.79 0.00
Children 4-7 in								
	Urban Areas	91.2%	(87.2, 94.1)	86.8%	(82.0, 90.5)	-4.4	(-10.6, 1.7)	0.15
	Rural Areas	80.6%	(63.3, 90.9)	83.3%	(75.2, 89.1)	2.7	(-14.6, 20.0)	0.75

¹ Passengers under 8 observed between 7 a.m. and 6 p.m. in the right-front seat or the second row of seats in passenger vehicles with no commercial or government markings that are stopped at a stop sign or stoplight. Age, gender, and racial classifications are based on the subjective assessments of roadside observers.

² Use of child car seats (forward- or rear-facing), booster seats, and seat belts.

³ The Wilson Confidence Interval is used in the estimated percentages in the occupant group (e.g., occupants who are male), which is in the form: $\{(2n_{EFF}p + t^2) \pm t\sqrt{(t^2 + 4n_{EFF}pq)}\}/(2(n_{EFF} + t^2))$, where p is the estimated percentage of Belt Use, $n_{EFF} = n/D_{EFF}$ is the effective sample size (where n is the sample size and D_{EFF} is the design effect), $t = t_{(1-\alpha/2)}(df)$, is a multiplier from the t-distribution with df degrees of freedom, and q = 1 - p. For percentages these endpoints are multiplied by 100.

⁴ The regular symmetric interval was used for the estimated change in percentage point, which is in the form: $p \pm t_{(1-\alpha/2)}(df)\sqrt{v(p)}$, where **p** is the estimated change in percentage point, v(p) is its estimated variance, and $t_{(1-\alpha/2)}(df)$ is a multiplier from the t-distribution with df degrees of freedom. The degrees of freedom in 2015 is different from that used in 2014.

 5 A p-value of 0.05 or less indicates that there is a statistically significant difference (at the alpha=0.05 level) between the 2014 and 2015 estimates for the group in question, indicated with bold type.

NA: Data not sufficient to produce a reliable estimate.

Source: National Occupant Protection Use Survey (NOPUS), 2014, 2015

5. NOPUS Methodology

The NOPUS sample was redesigned and the new design has been implemented to conduct the 2015 survey. This section discusses the sample design, data collection, and estimation used in the 2015 NOPUS Controlled Intersection Study. Data collection, estimation, and variance estimation for NOPUS are conducted by Westat, Inc., under the direction of the NCSA under Federal contract number DTNH22-13-D-00284.

Sample Design

The NOPUS uses a complex multistage probability sample, statistical data editing, imputation for unknown values and complex estimation procedures. The NOPUS sample was redesigned in 2015 and implemented to conduct the 2015 survey. The sample sites for the 2015 NOPUS were entirely from the 2015 NOPUS sample redesign.

The redesigned NOPUS sample was selected using a stratified two-stage design. The first stage of selection was the county, referred to as the PSU within the design framework. The PSUs were targeted for selection based on their measure of size (MOS). A sample of 57 primary sampling units (PSUs) was selected from a frame of 1,588 PSUs.

The second stage of selection or secondary sampling unit (SSU), within the selected PSUs, is the road segment. At the road segment level, the NOPUS data collectors are then positioned so that they can efficiently observe seat belt use, motorcycle helmet use, and driver electronic device use.

The NOPUS sample frame of PSUs excluded Puerto Rico and the U.S. Territories. All other counties in the U.S. were included in the sampling frame with the exception of 37 counties and three areas in Alaska; these locations were excluded on the basis of low traffic volume measured in terms of vehicle miles traveled (VMT) or because they were geographically isolated. The sample frame of SSUs excluded segments along unnamed roads, cul-de-sacs, private roads, and a variety of other road types that have traditionally had very low traffic volume measured by VMT.

The PSUs consist of individual counties or groups of counties within state boundaries. The NOPUS PSU sampling frame consists of 1,588 PSUs. One PSU was sampled with certainty because of its large VMT, and the remaining PSUs are then grouped into the eight major strata based on the four Census region (Northeast, Midwest, South, and West) and two urbanicity classes (Urban and Rural). A sample of 57 PSUs was selected using a Sequential Poisson method⁴ with probability approximately proportional to the VMT as the MOS. The new NOPUS sample was selected to maximize PSU overlap with the old sample, thus maintaining comparability of the estimates from the current and previous samples. A SSU sample of road segments within each PSU is selected based upon the types of roads and urban/rural status with specified sampling rates.

Table 8 shows the observed sample sizes of the 2015 NOPUS. A total of 63,958 occupants were observed in 45,916 vehicles at 1,566 data collection sites. Of these observed occupants, 3,000 were children under 8. Please note that due to ineligibility, construction, danger in the area, or road closure, observations could not be completed at some of the sampled observation sites.

Numbers of	2014	2015	Percentage Change
Sites Observed	1,379	1,566	13.6%
Vehicles Observed	35,992	45,916	27.6%
Total Occupants	50,736	63,958	26.1%
Occupants 8 and Older	48,295	60,958	26.2%
In Front Seat	45,967	58,159	26.5%
In Rear Seat	2,328	2,799	20.2%
Occupants Under 8	2,441	3,000	22.9%
Children Under 1	270	355	31.5%
Children 1 to 3	807	952	18.0%
Children 4 to 7	1,364	1,693	24.1%

Data Collection

The 2015 NOPUS data collection was conducted during the period from June 1, 2015, to June 27, 2015.

Data collection protocols remain largely the same in the redesigned NOPUS; however, NHTSA has made some minor adjustments to streamline data collection. In order to provide an estimate based on all vehicles affected by seat belt laws in relevant jurisdictions, data collectors observe and record seat belt use for all passenger vehicles observed at the data collection sites.

In the NOPUS Controlled Intersection Study, trained data collectors observe restraint use of drivers and other occupants of passenger vehicles (passenger cars, pickup trucks, SUVs, and vans) which have stopped at a stop sign or stoplight during daylight hours between 7 a.m. and 6 p.m. Observations are made both on the surface streets and at the ends of the expressway exit ramps (where there are controlled intersections). Only stopped vehicles are observed based on the time required to collect the variety of information required by the survey, including subjective assessments of the vehicle occupants' age and race. Observers collect data on the driver, right-front passenger, and up to two passengers in the second row of seats. Observers do not interview vehicle occupants intentionally, allowing NOPUS to capture the uninfluenced behavior of the occupants.

The NOPUS Controlled Intersection Study is always done following the NOPUS Moving Traffic Survey and is usually scheduled for all surface streets and limited access highway ramps, where

NOPUS data from previous years indicates that a controlled intersection exists. If the data collectors arrive at an assigned surface street site and the site is not controlled, they are instructed to search for an alternate data collection site further along the same road segment. After the data collectors have located a controlled intersection, they position themselves at the traffic signal or stop sign, facing the oncoming traffic from the side of the road. The data collectors walk in the direction of the oncoming traffic, away from the intersection to make their observations. When the traffic light turns green or they finish observing all vehicles, the data collectors return to the intersection to wait for the next traffic light cycle or next vehicle. They observe vehicles in the lane closest to their observational position, even if the closest lane is an exclusive turn lane (which is often the case at the controlled intersections.) When possible and if visibility allows, the data collectors also observe the other lanes of traffic. The data collectors are instructed to record the first behavior of the driver in which they observe.

Estimation

NOPUS estimates the rate of occupants restrained in restraint type (R) among the occupants having characteristic (C) using the formula,

Restraint Use_{CR} =
$$\frac{\sum_{i,j,k} w_{ijk} F_{ijk} CR_{ijk}}{\sum_{i,j,k} w_{ijk} F_{ijk} C_{ijk}}$$

where w_{ijk} and F_{ijk} , respectively, denote the base weight and the product of various weight adjustment factors at the site k in the stratum j of the PSU i. CR_{ijk} stands for the number of observed occupants having characteristic C and restrained in restraint type R and C_{ijk} denotes the number of observed occupants having characteristic C at the site k in the stratum j of the PSU i. For example, the seat belt use by vehicle type is estimated using the above formula, where CR_{ijk} is the number of observed belted occupants in certain type of vehicles (such as passenger cars, vans & SUVs, or pickup trucks) and C_{ijk} is the number of ALL (belted and unbelted) occupants observed in that type of vehicles at the site k in the stratum j of the PSUⁱ.

Prior to 2015 NHTSA's NOPUS publications reported integer percentage values for seat belt use point estimates. Along with updating the survey design, NHTSA has revised its NOPUS reporting format to be consistent with statistical best practices across the Federal Government. The new reporting format presents percentage point estimates with one decimal place. Along with this change, 95 percent confidence intervals and p-values accompany the point estimates.

In certain instances, NHTSA does not provide estimates. These are typically restraint use estimates whose numerator is based on fewer than five persons observed, or whose denominator is based on fewer than 30 people observed. These are reported as "NA" in publications. Any related estimate (i.e., change in use and confidence estimates) is not reported as well. The same criteria are used in reporting estimates from the NSUBS.

6. References

- Pickrell, T. M., & Li, R. (2016, February). Seat belt use in 2015 Overall results (Traffic Safety Facts Research Note. Report No. DOT HS 812 243). Washington, DC: National Highway Traffic Safety Administration. Available at www-nrd.nhtsa.dot.gov/Pubs/812243.pdf
- [2] Pickrell, T. M., Choi, E.-H., & KC, S. (2016, February). Occupant restraint use in 2014: Results from the NOPUS controlled intersection study (Traffic Safety Facts Research Note. Report No. DOT HS 812 244). Washington, DC: National Highway Traffic Safety Administration. Available at www-nrd.nhtsa.dot.gov/Pubs/812244.pdf
- [3] Highway Loss Data Institute. (2016, February). Safety belts (Web page). Arlington, VA: Insurance Institute for Highway Safety. Available at www.iihs.org/iihs/topics/laws/safetybeltuse?topicName=safety-belts
- [4] Ohlsson, E. (1998). Sequential Poisson sampling. *Journal of Official Statistics* 14, 149-162.

DOT HS 812 330 September 2016



National Highway Traffic Safety Administration



12519-011217-v3